

Telecom Interface Data Element Definitions (input to University Directory)

April 24, 2008

The following lists data element definitions for each record on the Telecom Interface file.

note: Header and Trailer record data element definitions are therefore included and are explicitly referenced as such, i.e., unless otherwise expressly indicated, the definition is for a field on the Data portion of the interface and not a Header or Trailer field.

Data Records are neither the first or last records on the telecom interface file and, given that “full volume” data interfaces are to be submitted, each interface should always have Data Records in addition to always having a Header Record and a Trailer Record.

DATA ELEMENT NAME: Record Code
VALID VALUES: 'H'
COMMENTS: Only applicable to the Header record
TYPE: Character
LENGTH: 1
FORMATTING NOTES:
GENERAL DESCRIPTION: Code indicating telecom interface file Header record.
CODE INTERPRETATION: 'H' - Header record

DATA ELEMENT NAME: Location Code
VALID VALUES: '00' - '10' and '94' - '98'
COMMENTS: Only applicable to the Header record
TYPE: Character
LENGTH: 2
FORMATTING NOTES:
GENERAL DESCRIPTION: Code indicating telecom interface file location source.
CODE INTERPRETATION: '00' - UC Office of the President
'01' - UC Berkeley
'02' - UC San Francisco
'03' - UC Davis
'04' - UC Los Angeles
'05' - UC Riverside
'06' - UC San Diego
'07' - UC Santa Cruz
'08' - UC Santa Barbara
'09' - UC Irvine
'10' - UC Merced
'94' - LBL
'95' - Livermore
'96' - Los Alamos National Lab
'97' - ASUCLA
'98' - Hastings

DATA ELEMENT NAME: File Name
VALID VALUES: 'UDIRTELE'
COMMENTS: Only applicable to the Header record
TYPE: Character
LENGTH: 8
FORMATTING NOTES:
GENERAL DESCRIPTION: Name identifying telecom interface file.
CODE INTERPRETATION:

DATA ELEMENT NAME:	Creation Date
VALID VALUES:	See formatting notes
COMMENTS:	Only applicable to the Header record
TYPE:	Character
LENGTH:	8 yyyyymmdd
FORMATTING NOTES:	yyyy - 4 digit year mm - 2 digit month ('01' - '12') dd - 2 digit day ('01' - '31')
GENERAL DESCRIPTION:	Date telecom interface file created.
CODE INTERPRETATION:	

DATA ELEMENT NAME: Filler
VALID VALUES:
COMMENTS: Only applicable to the Header record
TYPE: Character
LENGTH: 505
FORMATTING NOTES: Blanks/Spaces
GENERAL DESCRIPTION:
CODE INTERPRETATION:

DATA ELEMENT NAME:	Record Code
VALID VALUES:	'T'
COMMENTS:	Only applicable to the Trailer record
TYPE:	Character
LENGTH:	1
FORMATTING NOTES:	
GENERAL DESCRIPTION:	Code indicating telecom interface file Trailer record.
CODE INTERPRETATION:	'T' - Trailer record

DATA ELEMENT NAME: Location Code
VALID VALUES: '00' -'10 and '94' - '98'
COMMENTS: Only applicable to the Trailer record
TYPE: Character
LENGTH: 2
FORMATTING NOTES:
GENERAL DESCRIPTION: Code indicating telecom interface file location source.
CODE INTERPRETATION: '00' - UC Office of the President
'01' - UC Berkeley
'02' - UC San Francisco
'03' - UC Davis
'04' - UC Los Angeles
'05' - UC Riverside
'06' - UC San Diego
'07' - UC Santa Cruz
'08' - UC Santa Barbara
'09' - UC Irvine
'10' - UC Merced
'94' - LBL
'95' - Livermore
'96' - Los Alamos National Lab
'97' - ASUCLA
'98' - Hastings

DATA ELEMENT NAME: File Name
VALID VALUES: 'UDIRTELE'
COMMENTS: Only applicable to the Trailer record
TYPE: Character
LENGTH: 8
FORMATTING NOTES:
GENERAL DESCRIPTION: Name identifying telecom interface file.
CODE INTERPRETATION:

DATA ELEMENT NAME:	Data Record Count
VALID VALUES:	
COMMENTS:	Only applicable to the Trailer record
TYPE:	Character
LENGTH:	8
FORMATTING NOTES:	Pad figure with leading zeroes
GENERAL DESCRIPTION:	Record count of all data records only (excludes Header and Trailer records); thus, actual total interface file record count is this value plus 2.
CODE INTERPRETATION:	

DATA ELEMENT NAME: Filler
VALID VALUES:
COMMENTS: Only applicable to the Trailer record
TYPE: Character
LENGTH: 505
FORMATTING NOTES: Blanks/Spaces
GENERAL DESCRIPTION:
CODE INTERPRETATION:

DATA ELEMENT NAME: Location Code
VALID VALUES: '00' - '10' and '94' - '98'
COMMENTS:
TYPE: Character
LENGTH: 2
FORMATTING NOTES:
GENERAL DESCRIPTION: Code indicating telecom interface file location source.
CODE INTERPRETATION: '00' - UC Office of the President
'01' - UC Berkeley
'02' - UC San Francisco
'03' - UC Davis
'04' - UC Los Angeles
'05' - UC Riverside
'06' - UC San Diego
'07' - UC Santa Cruz
'08' - UC Santa Barbara
'09' - UC Irvine
'10' - UC Merced
'94' - LBL
'95' - Livermore
'96' - Los Alamos National Lab
'97' - ASUCLA
'98' - Hastings

DATA ELEMENT NAME: Employee ID

VALID VALUES:

COMMENTS:

TYPE: Character

LENGTH: 9

FORMATTING NOTES: If none, then pad with values set to blank characters and must pass a non-blank value in at least one of the following other telecom interface fields:
* Social Security Number
* Campus ID
* Net ID

GENERAL DESCRIPTION: Code uniquely identifying an employee at a location.

CODE INTERPRETATION:

DATA ELEMENT NAME: Social Security Number (SSN)
VALID VALUES:
COMMENTS: This is an optional field
TYPE: Character
LENGTH: 9
FORMATTING NOTES: If none, then pad with values set to blank characters
GENERAL DESCRIPTION: This is the social security number, often referenced as SSN, of the individual submitted on the telecom interface.
CODE INTERPRETATION:

DATA ELEMENT NAME: Campus ID

VALID VALUES:

COMMENTS: This is an optional field

TYPE: Character

LENGTH: 32

FORMATTING NOTES: Left justify if less than 32 characters and pad with trailing values set to blank characters; if none, then pad with values set to blank characters

GENERAL DESCRIPTION: The Campus ID is an attempt to provide a campuswide unique value, analogous in function to the objective of the Net ID which attempts to provide a universitywide unique value. The Campus ID on this interface is an optional field to accommodate the potential need of campuses who are in the process of implementing such a campuswide unique value, but also allows those who have not or plan not to implement such a field. It further supports the passage of campus telecom data for an individual who does not have, for example, an Employee ID.

CODE INTERPRETATION:

DATA ELEMENT NAME: Net ID

VALID VALUES:

COMMENTS: This is an optional field

TYPE: Character

LENGTH: 10

FORMATTING NOTES: Left justify if less than 10 characters and pad with trailing values set to blank characters; if none, then pad with values set to blank characters

GENERAL DESCRIPTION: The Net ID is an attempt to provide a universitywide unique value. It is an optional field on the interface and accommodates the potential need of campuses who have modified their telecom systems to house this value and are able to pass it on the interface.

CODE INTERPRETATION:

DATA ELEMENT NAME: Release Flag – Telecom Name

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Telecom Name can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted

'5' - "display" in only hardcopy, universitywide directory permitted

'1' - "display" in only online universitywide directory permitted

'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – Working Title

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Working Title can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted

'5' - "display" in only hardcopy, universitywide directory permitted

'1' - "display" in only online universitywide directory permitted

'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – Campus Mailing Addr.

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Campus Mailing Address can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted

'5' - "display" in only hardcopy, universitywide directory permitted

'1' - "display" in only online universitywide directory permitted

'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – Work Phone

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Work Phone number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted
'5' - "display" in only hardcopy, universitywide directory permitted
'1' - "display" in only online universitywide directory permitted
'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – Work Fax

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Work Fax number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted
'5' - "display" in only hardcopy, universitywide directory permitted
'1' - "display" in only online universitywide directory permitted
'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – Work Pager

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Work Pager number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted
'5' - "display" in only hardcopy, universitywide directory permitted
'1' - "display" in only online universitywide directory permitted
'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – Work Cell Phone

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Work Cell Phone number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted
'5' - "display" in only hardcopy, universitywide directory permitted
'1' - "display" in only online universitywide directory permitted
'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – Work Email Address

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not the Work Email Address can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted
'5' - "display" in only hardcopy, universitywide directory permitted
'1' - "display" in only online universitywide directory permitted
'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Release Flag – “other” except SSN

VALID VALUES: '9', '5', '1', '0'

COMMENTS:

TYPE: Character

LENGTH: 1

FORMATTING NOTES:

GENERAL DESCRIPTION: This release flag field indicates whether or not fields other than the Telecom Name, Working Title, Campus Mailing Address, Work Phone, Work Fax, Work Pager, Work Cell Phone and Work Email Address can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

CODE INTERPRETATION: '9' - "display" in hardcopy and online universitywide directories permitted
'5' - "display" in only hardcopy, universitywide directory permitted
'1' - "display" in only online universitywide directory permitted
'0' - "display" not permitted in either hardcopy or online universitywide directories

DATA ELEMENT NAME: Telecom Last Name

VALID VALUES:

COMMENTS:

TYPE: Character

LENGTH: 40

FORMATTING NOTES: Left justify if less than 40 characters and pad with trailing blanks; mixed case format; no comma should be included

GENERAL DESCRIPTION: This is the last name of the individual submitted on the telecom interface.

CODE INTERPRETATION:

DATA ELEMENT NAME: Telecom First Name (Middle)

VALID VALUES:

COMMENTS:

TYPE: Character

LENGTH: 40

FORMATTING NOTES: Left justify if less than 40 characters and pad with trailing blanks; mixed case format

GENERAL DESCRIPTION: This is the first name of the individual submitted on the telecom interface. The middle name and/or simply the middle initial may also optionally be passed after the first name, e.g., James Tiberius or Dana X.

CODE INTERPRETATION:

DATA ELEMENT NAME: Telecom Suffix

VALID VALUES:

COMMENTS: This is an optional field

TYPE: Character

LENGTH: 4

FORMATTING NOTES: Left justify if less than 4 characters

GENERAL DESCRIPTION:

CODE INTERPRETATION:

DATA ELEMENT NAME: Counter
VALID VALUES: 1 - 3
COMMENTS: Must be set to 1 as default
TYPE: Character
LENGTH: 1
FORMATTING NOTES:

GENERAL DESCRIPTION: This field facilitates the passage of multiple values for all fields passed on the telecom interface which appear after this field, e.g., multiple Working Titles, multiple Work Phones. For an individual submitted on the telecom interface who has only a single value for all fields on the telecom interface which appear after this field, then the Counter should always only be '1'

CODE INTERPRETATION: '1' – 1st occurrence
'2' – 2nd occurrence
'3' – 3rd occurrence

DATA ELEMENT NAME: Working Title

VALID VALUES:

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual

TYPE: Character

LENGTH: 60

FORMATTING NOTES: Mixed case format

GENERAL DESCRIPTION: This field is intended to provide a description of the position for the individual submitted on the telecom interface; this title is often not the official title code description.

CODE INTERPRETATION:

DATA ELEMENT NAME: Working Title Department

VALID VALUES:

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual

TYPE: Character

LENGTH: 60

FORMATTING NOTES: Mixed case format; any abbreviations should not end with a period, e.g., "Chem" should be passed rather than "Chem." if abbreviated

GENERAL DESCRIPTION: This field is department of the individual submitted on the telecom interface.

CODE INTERPRETATION:

DATA ELEMENT NAME: Campus Mailing Address 1

VALID VALUES:

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual

TYPE: Character

LENGTH: 32

FORMATTING NOTES: Left justify if less than 32 characters and pad with values set to blank characters; mixed case format; any abbreviations should not end with a period, e.g., "St" should be passed rather than "St." if abbreviated

GENERAL DESCRIPTION: This is the first line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

CODE INTERPRETATION:

DATA ELEMENT NAME: Campus Mailing Address 2

VALID VALUES:

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual

TYPE: Character

LENGTH: 32

FORMATTING NOTES: Left justify if less than 32 characters and pad with values set to blank characters; mixed case format; any abbreviations should not end with a period, e.g., "St" should be passed rather than "St." if abbreviated

GENERAL DESCRIPTION: This is the first line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

CODE INTERPRETATION:

DATA ELEMENT NAME: Campus Mailing Address City

VALID VALUES:

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 32

FORMATTING NOTES: Left justify if less than 32 characters and pad with values set to blank characters; mixed case format.

GENERAL DESCRIPTION: This is the "City" line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

CODE INTERPRETATION:

DATA ELEMENT NAME: Campus Mailing Address - State Code

VALID VALUES: US Postal Service Official abbreviations

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual

TYPE: Character

LENGTH: 2

FORMATTING NOTES: Upper case format only

GENERAL DESCRIPTION: This is the "State Code" line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

CODE INTERPRETATION: See US Postal Service for complete list of values, e.g., 'CA' – California

DATA ELEMENT NAME: Campus Mailing Address - Zip Code

VALID VALUES: US Postal Service Official abbreviations

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual

TYPE: Character

LENGTH: 5

FORMATTING NOTES:

GENERAL DESCRIPTION: This is the 5 digit "Zip Code" line of the "Campus Mailing Address"; if available, the 4 digit "Plus 4 Zip" is passed on the telecom interface via its own, separate field; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

CODE INTERPRETATION:

DATA ELEMENT NAME: Campus Mailing Address – Plus 4 Zip Code

VALID VALUES: US Postal Service Official abbreviations

COMMENTS: This is an optional field; multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual’s record, e.g., if the corresponding value in the Counter field is ‘1’, then this field’s value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is ‘2’, then this field’s value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 5

FORMATTING NOTES: Leading dash or blank character may be included or not; if not, then left justify and pad with trailing blank; if value is not to be passed, then pad with value set to blank characters.

GENERAL DESCRIPTION: This is the 4 digit “Plus 4 Zip” line of the “Campus Mailing Address”; the 5 digit “Zip Code” itself is passed on the telecom interface via its own, separate field; the complete “Campus Mailing Address” (excluding the “Campus Mail Code”) provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

CODE INTERPRETATION:

DATA ELEMENT NAME: Campus Mailing Address – Campus Mail Code

VALID VALUES:

COMMENTS: This is an optional field; multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 6

FORMATTING NOTES: Left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

GENERAL DESCRIPTION: This field provides for an optional, campus-specific value to house data for an internal campus mailing and is not intended for use as part of a mailing via the US Postal Service.

CODE INTERPRETATION:

DATA ELEMENT NAME: Work Phone Number

VALID VALUES: example: (510)987-0100

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 21

FORMATTING NOTES: Format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

GENERAL DESCRIPTION: This is the individual's work phone number, though it should be noted that there is a separate field for the individual's work cell phone number.

CODE INTERPRETATION:

DATA ELEMENT NAME: Work Fax Number

VALID VALUES: example: (510)987-0122

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 21

FORMATTING NOTES: Format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

GENERAL DESCRIPTION: This is the individual's work fax phone number.

CODE INTERPRETATION:

DATA ELEMENT NAME: Work Pager Number

VALID VALUES: example: (510)987-9992

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 21

FORMATTING NOTES: Format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

GENERAL DESCRIPTION: This is the individual's work pager number.

CODE INTERPRETATION:

DATA ELEMENT NAME: Work Cell Phone Number

VALID VALUES: example: (510)345-9992

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 21

FORMATTING NOTES: Format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

GENERAL DESCRIPTION: This is the individual's work cell phone number.

CODE INTERPRETATION:

DATA ELEMENT NAME: Work Email Address

VALID VALUES:

COMMENTS: Multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1st occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2nd occurrence for the individual.

TYPE: Character

LENGTH: 50

FORMATTING NOTES: Left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

GENERAL DESCRIPTION: This is the individual's work Email address.

CODE INTERPRETATION: