

# **Telecom Interface Data Element Definitions (input to University Directory)**

*June 30, 1999*

The following lists data element definitions for each record on the Telecom Interface file.

*note:* Header and Trailer record data element definitions are therefore included and are explicitly referenced as such, i.e., unless otherwise expressly indicated, the definition is for a field on the Data portion of the interface and not a Header or Trailer field.

**INTERFACE DATA ELEMENT:** Record Code (on Header)

**VALID VALUES:** 'H'

**COMMENTS:** only applicable to the Header record

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** Code indicating telecom interface file Header record.

**CODE INTERPRETATION:** 'H' - Header record

**INTERFACE DATA ELEMENT:** Location Code (on Header)

**VALID VALUES:** '00' - '09'

**COMMENTS:** only applicable to the Header record

**TYPE:** character

**LENGTH:** 2

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** Code indicating telecom interface file location source.

**CODE INTERPRETATION:**

- '00' - UC Office of the President
- '01' - UC Berkeley
- '02' - UC San Francisco
- '03' - UC Davis
- '04' - UC Los Angeles
- '05' - UC Riverside
- '06' - UC San Diego
- '07' - UC Santa Cruz
- '08' - UC Santa Barbara
- '09' - UC Irvine

**INTERFACE DATA ELEMENT:** File Name (on Header)

**VALID VALUES:** 'UDIRTELE'

**COMMENTS:** only applicable to the Header record

**TYPE:** character

**LENGTH:** 8

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** Name identifying telecom interface file.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Creation Date (on Header)

**VALID VALUES:**

**COMMENTS:** only applicable to the Header record

**TYPE:** character

**LENGTH:** 8

**FORMATTING NOTES:** yyyyymmdd where:  
yyyy - 4 digit year  
mm - 2 digit month ('01' - '12')  
dd - 2 digit day ('01' - '31')

**GENERAL DESCRIPTION:** Date telecom interface file created.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Record Code (on Trailer)

**VALID VALUES:** 'T'

**COMMENTS:** only applicable to the Trailer record

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** Code indicating telecom interface file Trailer record.

**CODE INTERPRETATION:** 'T' - Trailer record

**INTERFACE DATA ELEMENT:** Location Code (on Trailer)

**VALID VALUES:** '00' - '09'

**COMMENTS:** only applicable to the Trailer record

**TYPE:** character

**LENGTH:** 2

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** Code indicating telecom interface file location source.

**CODE INTERPRETATION:**

- '00' - UC Office of the President
- '01' - UC Berkeley
- '02' - UC San Francisco
- '03' - UC Davis
- '04' - UC Los Angeles
- '05' - UC Riverside
- '06' - UC San Diego
- '07' - UC Santa Cruz
- '08' - UC Santa Barbara
- '09' - UC Irvine

**INTERFACE DATA ELEMENT:** File Name (on Trailer)

**VALID VALUES:** 'UDIRTELE'

**COMMENTS:** only applicable to the Trailer record

**TYPE:** character

**LENGTH:** 8

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** Name identifying telecom interface file.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Data Record Count (on Trailer)

**VALID VALUES:**

**COMMENTS:** only applicable to the Trailer record

**TYPE:** character

**LENGTH:** 8

**FORMATTING NOTES:** pad figure with leading zeroes

**GENERAL DESCRIPTION:** Record count of all data records only (excludes Header and Trailer records); thus, actual total interface file record count is this value plus 2

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Location Code

**VALID VALUES:** '00' - '09'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 2

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** Code indicating telecom interface file campus source.

**CODE INTERPRETATION:**

- '00' - UC Office of the President
- '01' - UC Berkeley
- '02' - UC San Francisco
- '03' - UC Davis
- '04' - UC Los Angeles
- '05' - UC Riverside
- '06' - UC San Diego
- '07' - UC Santa Cruz
- '08' - UC Santa Barbara
- '09' - UC Irvine

**INTERFACE DATA ELEMENT:** Employee ID

**VALID VALUES:**

**COMMENTS:**

**TYPE:** character

**LENGTH:** 9

**FORMATTING NOTES:** if none, then pad with values set to blank characters and must pass a non-blank value in at least one of the following other telecom interface fields:  
\* Social Security Number  
\* Campus ID  
\* Net ID

**GENERAL DESCRIPTION:** Code uniquely identifying an employee at a location.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT: Social Security Number**

**VALID VALUES:**

**COMMENTS:** this is an optional field

**TYPE:** character

**LENGTH:** 9

**FORMATTING NOTES:** if none, then pad with values set to blank characters

**GENERAL DESCRIPTION:** This is the social security number, often referenced as SSN, of the individual submitted on the telecom interface.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT: Campus ID**

**VALID VALUES:**

**COMMENTS:** this is an optional field

**TYPE:** character

**LENGTH:** 32

**FORMATTING NOTES:** left justify if less than 32 characters and pad with trailing values set to blank characters; if none, then pad with values set to blank characters

**GENERAL DESCRIPTION:** The Campus ID is an attempt to provide a campuswide unique value, analogous in function to the objective of the Net ID which attempts to provide a universitywide unique value. The Campus ID on this interface is an optional field to accommodate the potential need of campuses who are in the process of implementing such a campuswide unique value, but also allows those who have not or plan not to implement such a field. It further supports the passage of campus telecom data for an individual who does not have, for example, an Employee ID.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT: Net ID**

**VALID VALUES:**

**COMMENTS:** this is an optional field

**TYPE:** character

**LENGTH:** 10

**FORMATTING NOTES:** left justify if less than 10 characters and pad with trailing values set to blank characters; if none, then pad with values set to blank characters

**GENERAL DESCRIPTION:** The Net ID is an attempt to provide a universitywide unique value. It is an optional field on the interface and accommodates the potential need of campuses who have modified their telecom systems to house this value and are able to pass it on the interface.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Release Flag - Telecom Name

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Telecom Name can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag – Working Title

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Working Title can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag – Campus Mailing Address

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Campus Mailing Address can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag – Work Phone

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Work Phone number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag – Work Fax

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Work Fax number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag – Work Pager

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Work Pager number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag – Work Cell Phone

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Work Cell Phone number can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag – Work Email Address

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not the Work Email Address can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Release Flag - "other" except SSN

**VALID VALUES:** '9', '5', '1', '0'

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This release flag field indicates whether or not fields other than the Telecom Name, Working Title, Campus Mailing Address, Work Phone, Work Fax, Work Pager, Work Cell Phone and Work Email Address can be "displayed" in either the hardcopy, universitywide directory or the online, universitywide directory

**CODE INTERPRETATION:**

- '9' - "display" in hardcopy and online universitywide directories permitted
- '5' - "display" in only hardcopy, universitywide directory permitted
- '1' - "display" in only online universitywide directory permitted
- '0' - "display" not permitted in either hardcopy or online universitywide directories

**INTERFACE DATA ELEMENT:** Telecom Last Name

**VALID VALUES:**

**COMMENTS:**

**TYPE:** character

**LENGTH:** 40

**FORMATTING NOTES:** left justify if less than 40 characters and pad with trailing blanks; mixed case format; no comma should be included

**GENERAL DESCRIPTION:** This is the last name of the individual submitted on the telecom interface.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Telecom First Name (middle)

**VALID VALUES:**

**COMMENTS:**

**TYPE:** character

**LENGTH:** 40

**FORMATTING NOTES:** left justify if less than 40 characters and pad with trailing blanks; mixed case format

**GENERAL DESCRIPTION:** This is the first name of the individual submitted on the telecom interface. The middle name and/or simply the middle initial may also optionally be passed after the first name, e.g., James Tiberius or Dana X

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Telecom Name Suffix

**VALID VALUES:**

**COMMENTS:** this is an optional field

**TYPE:** character

**LENGTH:** 4

**FORMATTING NOTES:** left justify if less than 4 characters and pad with values set to blank characters; mixed case format; if none, then pad with values set to blank characters

**GENERAL DESCRIPTION:** This is the suffix for the name of the individual submitted on the telecom interface.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT: Counter**

**VALID VALUES:** 1 - 3

**COMMENTS:**

**TYPE:** character

**LENGTH:** 1

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This field facilitates the passage of multiple values for all fields passed on the telecom interface which appear after this field, e.g., multiple Working Titles, multiple Work Phones. For an individual submitted on the telecom interface who has only a single value for all fields on the telecom interface which appear after this field, then the Counter should always only be '1'

**CODE INTERPRETATION:**  
'1' – 1<sup>st</sup> occurrence  
'2' – 2<sup>nd</sup> occurrence  
'3' – 3<sup>rd</sup> occurrence

**INTERFACE DATA ELEMENT:** Working Title

**VALID VALUES:**

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 60

**FORMATTING NOTES:** mixed case format

**GENERAL DESCRIPTION:** This field is intended to provide a description of the position for the individual submitted on the telecom interface; this title is often not the official title code description.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Working Title Department

**VALID VALUES:**

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 60

**FORMATTING NOTES:** mixed case format; any abbreviations should not end with a period, e.g., "Chem" should be passed rather than "Chem." if abbreviated

**GENERAL DESCRIPTION:** This field is department of the individual submitted on the telecom interface.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Campus Mailing Address 1

**VALID VALUES:**

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 32

**FORMATTING NOTES:** left justify if less than 32 characters and pad with values set to blank characters; mixed case format; any abbreviations should not end with a period, e.g., "St" should be passed rather than "St." if abbreviated

**GENERAL DESCRIPTION:** This is the first line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Campus Mailing Address 2

**VALID VALUES:**

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 32

**FORMATTING NOTES:** left justify if less than 32 characters and pad with values set to blank characters; mixed case format; any abbreviations should not end with a period, e.g., "St" should be passed rather than "St." if abbreviated; if none, then pad with values set to blank characters

**GENERAL DESCRIPTION:** This is the second line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Campus Mailing Address - City

**VALID VALUES:**

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 32

**FORMATTING NOTES:** left justify if less than 32 characters and pad with values set to blank characters; mixed case format

**GENERAL DESCRIPTION:** This is the "City" line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Campus Mailing Address - State Code

**VALID VALUES:** US Postal Service Official abbreviations

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 2

**FORMATTING NOTES:** upper case format only

**GENERAL DESCRIPTION:** This is the "State Code" line of the "Campus Mailing Address"; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

**CODE INTERPRETATION:** see US Postal Service for complete list of values, e.g., 'CA' - California

**INTERFACE DATA ELEMENT:** Campus Mailing Address - Zip Code

**VALID VALUES:** US Postal Service Official values

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 5

**FORMATTING NOTES:**

**GENERAL DESCRIPTION:** This is the 5 digit "Zip Code" line of the "Campus Mailing Address"; if available, the 4 digit "Plus 4 Zip" is passed on the telecom interface via its own, separate field; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Campus Mailing Address - Plus 4 Zip

**VALID VALUES:** US Postal Service Official values

**COMMENTS:** this is an optional field; multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 5

**FORMATTING NOTES:** leading dash or blank character may be included or not; if not, then left justify and pad with trailing blank; if value is not to be passed, then pad with value set to blank characters

**GENERAL DESCRIPTION:** This is the 4 digit "Plus 4 Zip" line of the "Campus Mailing Address"; the 5 digit "Zip Code" itself is passed on the telecom interface via its own, separate field; the complete "Campus Mailing Address" (excluding the "Campus Mail Code") provided via the telecom interface should contain data in such a format that mail could be addressed to the individual using that formatted data and be sent successfully through the US Postal Service.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Campus Mailing Address – Campus Mail Code

**VALID VALUES:**

**COMMENTS:** this is an optional field; multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 6

**FORMATTING NOTES:** left justify and pad with trailing blanks; if none, then pad with value set to blank characters

**GENERAL DESCRIPTION:** This field provides for an optional, campus-specific value to house data for an internal campus mailing and is not intended for use as part of a mailing via the US Postal Service.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Work Phone Number

**VALID VALUES:** example: (510)987-0100

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 21

**FORMATTING NOTES:** format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters

**GENERAL DESCRIPTION:** This is the individual's work phone number, though it should be noted that there is a separate field for the individual's work cell phone number.

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Work Fax Number

**VALID VALUES:** example: (510)987-0100

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 21

**FORMATTING NOTES:** format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

**GENERAL DESCRIPTION:** This is the individual's work fax number

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Work Pager Number

**VALID VALUES:** example: (510)987-0100

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 21

**FORMATTING NOTES:** format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

**GENERAL DESCRIPTION:** This is the individual's work pager number

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Work Cell Phone Number

**VALID VALUES:** example: (510)987-0100

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 21

**FORMATTING NOTES:** format is: open parenthesis, area code, close parenthesis, three number prefix, dash, four digit number; left justify and pad with trailing blanks; if none, then pad with value set to blank characters.

**GENERAL DESCRIPTION:** This is the individual's work cell phone number

**CODE INTERPRETATION:**

**INTERFACE DATA ELEMENT:** Work Email Address

**VALID VALUES:**

**COMMENTS:** multiple values for this field may be passed as reflected by the appropriate corresponding value in the Counter field of the telecom interface for the individual's record, e.g., if the corresponding value in the Counter field is '1', then this field's value reflects the 1<sup>st</sup> occurrence for the individual, if the corresponding value in the Counter field is '2', then this field's value reflects the 2<sup>nd</sup> occurrence for the individual

**TYPE:** character

**LENGTH:** 50

**FORMATTING NOTES:** left justify and pad with trailing blanks; if none, then pad with value set to blank characters

**GENERAL DESCRIPTION:** This is the individual's work Email address.

**CODE INTERPRETATION:**