

Service Request 80552

Obsolete PIN Authorization Signature Date

Detail Design

Baskar Chitravel
October 22, 2003
12:35 PM

Enterprise IT Services
Information Resources and Communications
Office of the President
University of California

Table of Contents

INTRODUCTION	2
PROCESSING OVERVIEW	2
PROGRAM CHANGES FOR PPWEPD2	3
PROGRAM CHANGES FOR PPWIGEN	9
PROGRAM CHANGES FOR PPEC127	12
PROGRAM CHANGES FOR PPWWIEMP	14
CICS MAPS CHANGES.....	16
CHANGES FOR CICS MAP -- EPD2.....	16
CHANGES FOR CICS MAP -- IGEN.....	17
CHANGES FOR WEB EDB INQUIRY MAP -- IEMP	18
COPYLIB MEMBERS	19
INCLUDE MEMBERS	19
CONTROL TABLE UPDATES	19
JCL CHANGE	20

Introduction

Currently, new employees are asked to sign form UPAY874 (last revision date 9/97) before being granted access to the web and IVR applications. Most employees hired prior to 1997 do not have a form on file; they were grandfathered access to these applications.

UC HRB is implementing a process change so that users accessing Your Benefits Online, or UCFY, or bencom.fone will be asked to agree to an authorization before they can continue. The new process will help ensure all users have agreed to the conditions of use. There may be additional authorizations in the future.

SR80552 addresses changes to be made to the IVR and web applications to obsolete form UPAY874. The changes includes removal of PIN Signature Authorization Date from CICS screens and Web EDB Enquiry screens. Also there are changes needs to be done in the batch programs to take care of the removal of PIN Signature Authorization Date.

Processing Overview

The following changes are needed for removing PIN Signature Authorization Date.

- a. Remove PIN Signature Authorization Date from the on-line CICS screen EPD2.
- b. Delete the logic which processes PIN Signature Authorization Date for the above CICS screen EPD2 in the batch program PPWE PD2.
- c. Remove PIN Signature Authorization Date from the on-line CICS screen IGEN.
- d. Delete the logic which processes PIN Signature Authorization Date for the above CICS screen IGEN in the batch program PPWIGEN.
- e. Remove PIN Signature Authorization Date data from the on-line CICS screen 'Data Elements to Screen' (EDES). This is done by deleting '0750' element row from the PPPDES table.
- f. Remove PIN Signature Authorization Date data from the on-line CICS screen 'Data Elements' (ELEM). This is done by deleting '0750' element row from the PPPDET table.
- g. Obsolete the following Error Messages used while editing Pin Signature Date. So delete these messages from the System Messages table.
A08084530113137PIN SIGNATURE DATE CANNOT BE LATER THAN CURRENT DATE
A08124530113137PIN SIGNATURE DATE CANNOT BE LATER THAN CURRENT DATE
- h. Delete the logic which uses the above Error Messages while editing Pin Signature Date in the program PPEC127.
- i. Remove PIN Signature Date from PPS Web EDB Inquiry system's 'Employee Status Information' screen.
- j. Delete PIN Signature Date logic which gets data from the EDB and populates the 'Employee Status Information' screen field in the program PPWWIEMP.

Program Changes for PPWEPD2

PPWEPD2

EPD2 is the CICS EDB Entry/Update screen. It has fields to enter employee personal data during the hire process. It has an entry for Pin Signature Date among other details. PPWEPD2 is the batch screen detail processor for the EPD2 screen. In this project we are removing the Pin Signature Date entry from the EPD2 screen. So we need to delete the logic which processes PIN Signature Authorization Date for the above CICS screen EPD2 in the batch program PPWEPD2.

The following changes are needed to remove the logic to process Pin Signature Date.

Changes in the WORKING-STORAGE SECTION

Change the WS-RELEASE-NUMBER from the old value to the new release number value as shown below:

```
01 WS-MISC.
   05 WS-THIS-PGM-NAME          PIC X(08) VALUE 'PPWEPD2 ' .
   05 WS-RELEASE-NUMBER        PIC X(05) VALUE 'E1140' .
   05 WS-RELEASE-NUMBER        PIC X(05) VALUE 'E1529' .
****05 WS-RELEASE-NUMBER      PIC X(05) VALUE 'E0889' .
****05 WS-RELEASE-NUMBER      PIC X(05) VALUE 'E1140' .
*****
   05 EDIT-SUB                  PIC S9(04) COMP VALUE ZERO.
```

Comment out the BEN-ROW and BEN-ROW-HOLD working area because we will not be using them in the program.

```
01 PER-ROW-HOLD          EXTERNAL.
   EXEC SQL
     INCLUDE CPWSRPER
   END-EXEC.
```

```
01 BEN-ROW              EXTERNAL.
   EXEC SQL
     INCLUDE CPWSRBEN
   END-EXEC.
```

```
01 BEN-ROW-HOLD        EXTERNAL.
   EXEC SQL
     INCLUDE CPWSRBEN
   END-EXEC.
```

```
01 CMP-ROW              EXTERNAL.
   EXEC SQL
     INCLUDE CPWSRCMP
   END-EXEC.
```

Changes in the PROCEDURE DIVISION

In the 0000-MAINLINE SECTION, comment out the logic which sets -1 to the EPD2 CICS screen field Pin Signature Date's L attribute. Also uncomment moving -1 to Oath Signature Date field because now this will be the 1st field the initial cursor should go when we go to this screen EPD2.

0000-MAINLINE SECTION.

```
MOVE WS-RELEASE-NUMBER TO UCPISCRN-DTL-REL-NO.  
INITIALIZE CPWSDEED-EXT-DATA.
```

```
EVALUATE TRUE  
  WHEN UCCOMMON-DISPLAY-REQUEST  
    MOVE LOW-VALUES TO PPEPD200  
      → More code here . . .
```

```
PERFORM 1500-FORMAT-SCREEN  
  VARYING EDIT-SUB FROM 1 BY 1  
  UNTIL EDIT-SUB > CPWSDEED-CNT  
**** MOVE -1 TO DE0705-OATH-SIGN-DATEL  
MOVE -1 TO DE0705-OATH-SIGN-DATEL  
MOVE -1 TO DE0750-PIN-SIGN-DATEL  
WHEN UCCOMMON-EDIT-REQUEST  
  PERFORM 0200-INITIALIZE-LABELS  
    → More code here . . .
```

```
IF UCCOMMON-NO-EDIT-ERRORS  
**** MOVE -1 TO DE0705-OATH-SIGN-DATEL  
MOVE -1 TO DE0705-OATH-SIGN-DATEL  
MOVE -1 TO DE0750-PIN-SIGN-DATEL  
PERFORM 2400-UPDATE-EMPLOYEE
```

In the 0100-INITIALIZE-FIELDS SECTION, comment out the logic which moves difference values to EPD2 CICS screen field Pin Signature Date's C, A and H attributes.

0100-INITIALIZE-FIELDS SECTION.

```
MOVE UCCOMMON-CLR-ENTRY TO  
DE0750-PIN-SIGN-DATEC  
DE0705-OATH-SIGN-DATEC  
→ More code here . . .
```

```
MOVE WS-ATR TO DE0705-OATH-SIGN-DATEA  
DE0750-PIN-SIGN-DATEA  
DE0284-I-9-DATEA  
→ More code here . . .
```

```
MOVE UCCOMMON-HLT-ENTRY TO  
DE0750-PIN-SIGN-DATEH  
DE0705-OATH-SIGN-DATEH
```

In the 0110-SET-PROTECTED-FIELDS SECTION, comment out the logic which sets value to EPD2 CICS screen field Pin Signature Date's A attribute.

```
0110-SET-PROTECTED-FIELDS SECTION.  
IF CPWSDEHI-PROTECT-IND(0750) = 'Y'  
MOVE UCCOMMON-ATR-ENTRY-PRO TO DE0750-PIN-SIGN-DATEA  
END-IF.  
IF CPWSDEHI-PROTECT-IND(0705) = 'Y'  
    MOVE UCCOMMON-ATR-ENTRY-PRO TO DE0705-OATH-SIGN-DATEA  
END-IF.
```

In the 0200-INITIALIZE-LABELS SECTION, comment out the logic which moves difference values to EPD2 CICS screen field Pin Signature Date's C, A and H attributes.

```
0200-INITIALIZE-LABELS SECTION.  
    MOVE UCCOMMON-CLR-FLD-LABEL TO  
DE0750-L-PIN-SIGN-DATEC  
    DE0705-L-OATH-SIGN-DATEC  
    → More code here . . .  
  
    MOVE UCCOMMON-ATR-FLD-LABEL TO  
DE0750-L-PIN-SIGN-DATEA  
    DE0705-L-OATH-SIGN-DATEA  
    → More code here . . .  
  
    MOVE UCCOMMON-HLT-FLD-LABEL TO  
DE0750-L-PIN-SIGN-DATEH  
    DE0705-L-OATH-SIGN-DATEH
```

In the 0500-SET-BUNDLE-HIGHLIGHTS SECTION, comment out the logic which moves difference values to EPD2 CICS screen field Pin Signature Date's C, A and H attributes.

```
0500-SET-BUNDLE-HIGHLIGHTS SECTION.  
IF CPWSDEHI-BUNDLE-IND(0750) = 'Y'  
MOVE UCCOMMON-CLR-BUNDLE TO DE0750-L-PIN-SIGN-DATEC  
MOVE UCCOMMON-HLT-BUNDLE TO DE0750-L-PIN-SIGN-DATEH  
MOVE UCCOMMON-ATR-BUNDLE TO DE0750-L-PIN-SIGN-DATEA  
END-IF.  
IF CPWSDEHI-BUNDLE-IND(0705) = 'Y'  
    MOVE UCCOMMON-CLR-BUNDLE TO DE0705-L-OATH-SIGN-DATEC  
    MOVE UCCOMMON-HLT-BUNDLE TO DE0705-L-OATH-SIGN-DATEH  
    MOVE UCCOMMON-ATR-BUNDLE TO DE0705-L-OATH-SIGN-DATEA  
END-IF.
```

Final
October 22, 2003

In the 1000-FORMAT-DATA SECTION, comment out the logic which does element details processing for Pin Signature Date.

1000-FORMAT-DATA SECTION.

```
ADD +1 TO CPWSDEED-CNT.  
MOVE PIN-SIGN-DATE OF BEN-ROW  
TO CPWSDEED-EDB-DATA(CPWSDEED-CNT).  
MOVE 0750 TO CPWSDEED-ELEM-NUMBER(CPWSDEED-CNT).  
SET CPWSDEED-ELEM-REQUEST-DISPLAY(CPWSDEED-CNT) TO TRUE.
```

```
ADD +1 TO CPWSDEED-CNT.  
MOVE OATH-SIGN-DATE OF PER-ROW  
TO CPWSDEED-EDB-DATA(CPWSDEED-CNT).
```

In the 1500-FORMAT-SCREEN SECTION, comment out the logic which moves stored value of Pin Signature Date to its output field in the EPD2 CICS screen.

1500-FORMAT-SCREEN SECTION.

```
EVALUATE TRUE  
WHEN CPWSDEED-ELEM-NUMBER(EDIT-SUB) = 0750  
MOVE CPWSDEED-SCREEN-DATA(EDIT-SUB)  
TO DE0750-PIN-SIGN-DATEO  
  
WHEN CPWSDEED-ELEM-NUMBER(EDIT-SUB) = 0705  
MOVE CPWSDEED-SCREEN-DATA(EDIT-SUB)  
TO DE0705-OATH-SIGN-DATEO
```

In the 2000-EDIT-DATA SECTION, comment out the logic which process the Pin Signature Date as shown below:

2000-EDIT-DATA SECTION.

```
*****
* ALL ALTERED MAP FIELDS WILL BE PASSED TO VREDIT FOR
* VALUE-RANGE EDITING.
*
* FOR MAP FIELDS NOT ALTERED, VALUES FROM THE EDB EXTERNALS
* WILL BE PASSED TO VREDIT FOR DATA FORMATTING.
*
*****

      MOVE ZERO                                TO CPWSDEED-CNT.

      ADD +1                                TO CPWSDEED-CNT.
      MOVE 0750 TO CPWSDEED-ELEM-NUMBER(CPWSDEED-CNT).
      MOVE UCCOMMON-CLR-ENTRY TO
              DE0750-PIN-SIGN-DATEC.
      MOVE UCCOMMON-HLT-ENTRY TO
              DE0750-PIN-SIGN-DATEH.
      IF DE0750-PIN-SIGN-DATEL > ZERO OR
      DE0750-PIN-SIGN-DATEF = ERASE-EOF
      SET CPWSDEED-ELEM-REQUEST-EDIT(CPWSDEED-CNT) TO TRUE
      IF DE0750-PIN-SIGN-DATEF = ERASE-EOF
      SET CPWSDEED-ERASE-EOF-YES(CPWSDEED-CNT) TO TRUE
      MOVE PIN-SIGN-DATE OF BEN-ROW-HOLD
      TO CPWSDEED-EDB-DATA(CPWSDEED-CNT)
      MOVE UCCOMMON-ATR-ENTRY TO
              DE0750-PIN-SIGN-DATEA
      ELSE
      MOVE UCCOMMON-ATR-ENTRY-MDT TO
              DE0750-PIN-SIGN-DATEA
      MOVE DE0750-PIN-SIGN-DATEI
      TO CPWSDEED-ENTERED-DATA(CPWSDEED-CNT)
      END-IF
      ELSE
      SET CPWSDEED-ELEM-REQUEST-DISPLAY(CPWSDEED-CNT) TO TRUE
      MOVE PIN-SIGN-DATE OF BEN-ROW
      TO CPWSDEED-EDB-DATA(CPWSDEED-CNT)
      END-IF.

      ADD +1                                TO CPWSDEED-CNT.
      MOVE 0705 TO CPWSDEED-ELEM-NUMBER(CPWSDEED-CNT).
      MOVE UCCOMMON-CLR-ENTRY TO
              DE0705-OATH-SIGN-DATEC.
```

In the 2300-EDIT-ERROR-ROUTINE SECTION, comment out the logic which process the Pin Signature Date as shown below:

```
2300-EDIT-ERROR-ROUTINE SECTION.  
  
EVALUATE TRUE  
WHEN CPWSDEED-ELEM-NUMBER(EDIT-SUB) = 0750  
IF CPWSDEED-ELEM-ERRORS-FOUND(EDIT-SUB)  
MOVE UCCOMMON-HLT-ERROR  
TO DE0750-PIN-SIGN-DATEH  
MOVE UCCOMMON-ATR-ERROR-MDT  
TO DE0750-PIN-SIGN-DATEA  
MOVE UCCOMMON-CLR-ERROR  
TO DE0750-PIN-SIGN-DATEC  
MOVE CPWSDEED-SCREEN-DATA(EDIT-SUB)  
TO DE0750-PIN-SIGN-DATEO  
IF NO-ERRORS-FLAGGED  
MOVE -1 TO DE0750-PIN-SIGN-DATEL  
SET ERRORS-FLAGGED TO TRUE  
END-IF  
END-IF  
  
WHEN CPWSDEED-ELEM-NUMBER(EDIT-SUB) = 0705  
IF CPWSDEED-ELEM-ERRORS-FOUND(EDIT-SUB)  
MOVE UCCOMMON-HLT-ERROR  
TO DE0705-OATH-SIGN-DATEH
```

In the 2400-UPDATE-EMPLOYEE SECTION, comment out the logic which process the Pin Signature Date as shown below:

```
2400-UPDATE-EMPLOYEE SECTION.  
  
EVALUATE TRUE  
WHEN CPWSDEED-ELEM-NUMBER(EDIT-SUB) = 0750  
IF CPWSDEED-ELEM-REQUEST-EDIT(EDIT-SUB)  
MOVE CPWSDEED-EDB-DATA(EDIT-SUB)  
TO PIN-SIGN-DATE OF BEN-ROW  
END-IF  
  
WHEN CPWSDEED-ELEM-NUMBER(EDIT-SUB) = 0705  
IF CPWSDEED-ELEM-REQUEST-EDIT(EDIT-SUB)  
MOVE CPWSDEED-EDB-DATA(EDIT-SUB)  
TO OATH-SIGN-DATE OF PER-ROW  
END-IF
```

Program Changes for PPWIGEN

PPWIGEN

IGEN is the CICS EDB general information screen. It has fields to display employee's general information. It has an entry for Pin Signature Date among other details. PPWIGEN is the batch program which gets data from the general EDB data for the employee and populates the IGEN screen fields. In this project we are removing the Pin Signature Date display from the IGEN screen. So we need to delete the logic which processes PIN Signature Authorization Date for the above CICS screen IGEN in the batch program PPWIGEN.

The following changes are needed to remove the logic to process Pin Signature Date.

Changes in the WORKING-STORAGE SECTION

Change the value for WS-REL-NO from the old value to the current release number as shown below:

```
01  WS-COMN.
    05  WS-START                PIC X(27) VALUE
        'WORKING STORAGE STARTS HERE' .
    05  WS-PGM-NAME            PIC X(08) VALUE 'PPWIGEN' .
    05  WS-REL-NO              PIC X(05)
*****
*****                VALUE 'I1302' .
*****                VALUE 'I1450' .
*****                VALUE 'I1450' .
*****                VALUE 'I1529' .
```

Changes in the PROCEDURE DIVISION

The changes needed in PPWIGEN for obsoleting Pin Signature Authorization Date are:

In the 2000-INIT-SCREEN SECTION, comment out the logic which sets color and highlight bytes for Pin Signature Date.

```
2000-INIT-SCREEN SECTION.  
*****  
* SET COLOR AND HIGHLIGHT BYTES FOR EACH FIELD  
*****  
  
MOVE UCCOMMON-CLR-FLD-LABEL TO  
LPAFC  
LHIREC  
→ More columns here . . .  
-----LPIN-SIGN-DATEC  
LANTCP-RET-DATEC  
  
MOVE UCCOMMON-CLR-NORM-DISPL TO  
ETHNIC-IDC  
PAF-GEN-NUMC  
→ More columns here . . .  
-----PIN-SIGN-DATEC  
ANTCPD-RETIRE-DATEC  
  
MOVE UCCOMMON-HLT-FLD-LABEL TO  
LPAFH  
LHIREH  
→ More columns here . . .  
-----LPIN-SIGN-DATEH  
LANTCP-RET-DATEH  
  
MOVE UCCOMMON-HLT-NORM-DISPL TO  
ETHNIC-IDH  
PAF-GEN-NUMH  
→ More columns here . . .  
-----PIN-SIGN-DATEH  
HANDICAP-STATUSH
```

In the 3500-GET-BENPLAN-DATA SECTION, comment out the logic which edits Pin Signature Date not to be a null date. If it is a null date then it moves spaces to Pin Signature Date. If it is not a null date then it moves the value to the output IGEN CICS screen's Pin Signature Date field.

```
3500-GET-BENPLAN-DATA SECTION.
*****
* SELECT BEN TABLE DATA AND MOVE TO THE MAP
*****

PERFORM 8500-SELECT-BEN.

IF SQLCODE ZERO
MOVE RET-ELIG-CODE TO RET-ELIG-CODEO
IF PIN_SIGN_DATE = WS_NULL_DATE
MOVE SPACES TO PIN_SIGN_DATE
ELSE
MOVE PIN_SIGN_DATE TO WS_ADJUST_DATE
MOVE WS_ADJUST_PRE TO WS_ADJUST_SCR1
MOVE WS_ADJUST_SUF2 TO WS_ADJUST_SCR2
MOVE WS_ADJUST_SCR TO PIN_SIGN_DATEO
END-IF
IF ANTICIPATED-RET-DT = WS-NULL-DATE
MOVE SPACES TO ANTICIPATED-RET-DT
ELSE
```

In the 8500-SELECT-BEN SECTION, comment out the logic which selects Pin Signature Date from the PPPBEN table as shown below.

```
8500-SELECT-BEN SECTION.
*****
* SELECT BEN TABLE ROW
*****
MOVE 'SELECT BEN' TODB2MSG-TAG.

EXEC SQL
SELECT
RET_ELIG_CODE
,PIN_SIGN_DATE
,ANTICIPATED_RET_DT
INTO :RET-ELIG-CODE
,:PIN_SIGN_DATE
,:ANTICIPATED-RET-DT
FROM PPPVZBEN_BEN
WHERE EMPLOYEE_ID = :WS-UNIQUE-EE-ID

END-EXEC.
```


Changes in the PROCEDURE DIVISION

The changes needed in PPEC127 for obsoleting Pin Signature Authorization Date are:

In the 1100-CONEDITS-MAINLINE SECTION, comment out the logic which checks Pin Signature Date not to be more than today's date. If it is more than today's date then it issues a M08453 message.

```
MOVE M08454           TO KMTA-MSG-NUMBER           (KMTA-CTR)
MOVE WS-ROUTINE-TYPE TO KMTA-ROUTINE-TYPE         (KMTA-CTR)
MOVE WS-ROUTINE-NUM  TO KMTA-ROUTINE-NUM          (KMTA-CTR)
END-IF.
```

```
*****
**** EDIT PIN SIGNATURE DATE WHENEVER IT CHANGES
*****
****
**** IF PIN SIGN DATE > XDTS ISO DATE TODAY
**** ADD 1 TO KMTA-CTR
**** MOVE E0750 TO KMTA-FIELD-NUM (KMTA-CTR)
**** MOVE PIN-SIGN-DATE TO XDC3-ISO-DATE
**** PERFORM XDC3-CONVERT-ISO-TO-STD
**** MOVE XDC3-STD-DATE TO KMTA-DATA-FIELD (KMTA-CTR)
**** MOVE 6 TO KMTA-LENGTH (KMTA-CTR)
**** MOVE M08453 TO KMTA-MSG-NUMBER (KMTA-CTR)
**** MOVE WS-ROUTINE-TYPE TO KMTA-ROUTINE-TYPE (KMTA-CTR)
**** MOVE WS-ROUTINE-NUM TO KMTA-ROUTINE-NUM (KMTA-CTR)
**** END-IF.
```

In the 5100-IMPLIED-MAINT-MAINLINE SECTION, comment out the logic which checks Pin Signature Date not to be more than today's date. If it is more than today's date then it issues a M12453 message.

```
MOVE M12192           TO KMTA-MSG-NUMBER           (KMTA-CTR)
MOVE WS-ROUTINE-TYPE TO KMTA-ROUTINE-TYPE         (KMTA-CTR)
MOVE WS-ROUTINE-NUM  TO KMTA-ROUTINE-NUM          (KMTA-CTR)
END-IF.
```

```
*****
**** EDIT PIN SIGNATURE DATE WHENEVER IT CHANGES
*****
**** IF PIN SIGN DATE > XDTS ISO DATE TODAY
**** ADD 1 TO KMTA-CTR
**** MOVE E0750 TO KMTA-FIELD-NUM (KMTA-CTR)
**** MOVE PIN-SIGN-DATE TO XDC3-ISO-DATE
**** PERFORM XDC3-CONVERT-ISO-TO-STD
**** MOVE XDC3-STD-DATE TO KMTA-DATA-FIELD (KMTA-CTR)
**** MOVE 6 TO KMTA-LENGTH (KMTA-CTR)
**** MOVE M12453 TO KMTA-MSG-NUMBER (KMTA-CTR)
**** MOVE WS-ROUTINE-TYPE TO KMTA-ROUTINE-TYPE (KMTA-CTR)
**** MOVE WS-ROUTINE-NUM TO KMTA-ROUTINE-NUM (KMTA-CTR)
**** END-IF.
```

Program Changes for PPWWIEMP

PPWWIEMP

PPWWIEMP is a Net.Data program in the Web EDB Inquiry application which displays the Employment Status Information for an employee. This is an include member of the Web EDB Inquiry application and it defines the Employment Status Information screen, gets EDB details for these screen fields defined here and populates these fields with the EDB data. It also has the release information displayed at the bottom of the web screen.

Since we are obsoleting PIN Signature Authorization date, we need to delete PIN Signature Date logic which gets data from the EDB and populates the 'Employee Status Information' screen field in the program PPWWIEMP.

The following changes are needed to remove the logic to process Pin Signature Date.

In the function get_detail, remove the selection of pin_sign_date from the SQL SELECT statement.

```
%FUNCTION(DTW_SQL) get_detail(employee_id)
{
  SELECT
    per.hire_date
    ,per.orig_hire_date
    ,per.oath_sign_date

    →      More columns here . . .

    ,per.emp_spec_hand
    ,per.emp_dist_unit_code
    ,ben.pin_sign_date
    ,pay.I_9_date
    ,ebt.start_percent
    ,ebt.start_begin_date
    ,ebt.start_end_date
  FROM $(authid).pppvzper_per_per
  LEFT OUTER JOIN $(authid).pppvzben_ben_ben
  ON per.employee_id = ben.employee_id)
  FROM $(authid).pppvzper_per_per
    LEFT OUTER JOIN $(authid).pppvzpay_pay_pay
      ON per.employee_id = pay.employee_id
    LEFT OUTER JOIN $(authid).pppvzebt_ebt_ebt
      ON per.employee_id = ebt.employee_id
  WHERE per.employee_id = '$(employee_id)'
```

Final
October 22, 2003

In the report section of this include program member, remove the definition and population of the Pin Signature Date field.

```
<TR>
  <TD WIDTH="22%" ALIGN="RIGHT" CLASS="ROWLABEL">Original Date of Hire:</TD>
@DTW_ASSIGN(date_show,$(V_orig_hire_date))
  <TD WIDTH="22%" ALIGN="LEFT" CLASS="DATA">@format_date($(date_show),"mm/dd/yy")</TD>
  <TD WIDTH="15%" ALIGN="RIGHT" CLASS="ROWLABEL">Oath Date:</TD>
@DTW_ASSIGN(date_show,$(V_oath_sign_date))
  <TD COLSPAN=1 ALIGN="LEFT" CLASS="DATA">@format_date($(date_show),"mm/dd/yy")</TD>
</TR>
<TR>
  <TD WIDTH="22%" ALIGN="RIGHT" CLASS="ROWLABEL">PIN Signature Date:</TD>
@DTW_ASSIGN(date_show,$(V_pin_sign_date))
  <TD WIDTH="22%" ALIGN="LEFT" CLASS="DATA">@format_date($(date_show),"mm/dd/yy")</TD>
  <TD COLSPAN=2>&nbsp;</TD>
</TR>
</TABLE>
<HR SIZE=1 NOSHADE COLOR=#000099>

<TABLE BORDER="0" CELLPADDING="2" CELLSPACING="0" WIDTH="100%" COLS="1">
<TR>
  <TD COLSPAN=1 ALIGN="LEFT" CLASS="HEAD">Leave</TD>
</TR>
```

In the report section of this include program member, change the release number from 1482 to the current release number 1529.

```
<TABLE BORDER="0" CELLPADDING="2" CELLSPACING="0" WIDTH="100%" COLS="1">
<TR>
  <TD WIDTH="100%" ALIGN="LEFT" CLASS="DATA">&nbsp;</TD>
</TR>
<TR>
  <TD WIDTH="100%" ALIGN="LEFT" CLASS="DATA">As of Release 1482</TD>
  <TD WIDTH="100%" ALIGN="LEFT" CLASS="DATA">As of Release 1529</TD>
</TR>
</TABLE>
```

CICS Maps Changes

Changes for CICS Map -- EPD2

Remove PIN Signature Authorization Date from the on-line CICS screen EPD2.

EPD2 CICS screen is accessed by the EDB On-line Entry/Update program PPWEDP2. This screen has an input field to enter the PIN Signature Authorization Date and it will be updated after successful editing.

Since we do not use this date anymore, we need to remove PIN Signature Authorization Date from this on-line CICS screen EPD2 as shown below. Also other lines below this field is not moved up as per the requirements.

```
PPEPD20-E1140                EDB Entry/Update                06/25/03 11:52:40
06/24/03 09:52:16           Employee Personal Data 2           Userid: PAYBCC
ID: 802000012 Name: DOUGLAS, FREDERICK       SSN: 802-00-0012 Pri Pay: MO
```

```
      PIN Signature Date: 010103
      Oath Signature Date: 010103
      I-9 Date:
      Education Level Code:
      Education Level Year:
      Non-UC Prior Service Code:
      Prior Service Months:
      Prior University Service Institution Code:
```

```
      Employment Service Credit:
      Employment Service Credit From Date:
```

```
      Current Specialty Code:
      Highest Degree Specialty Code:
      Highest Degree Institution Code:
Next Func:      ID:      Name:      SSN:
```

```
===>
F:  1-Help      3-PrevMenu  4-Print    5-Update
F:      9-Jump      12-Exit
```

Changes for CICS Map -- IGEN

Remove PIN Signature Authorization Date from the on-line CICS screen IGEN.

IGEN CICS screen is accessed by the EDB On-line Inquiry program PPWIGEN. This screen has an output field to display the PIN Signature Authorization Date.

Since we do not use this date anymore, we need to remove PIN Signature Authorization Date from this on-line CICS screen IGEN as shown below. Also other lines below this field is not moved up as per the requirements.

```
PPIGEN0-I1450                      EDB Inquiry                      07/08/03 11:29:19
07/08/03 09:17:12                  General Information 1              Userid:  PAYPCW
ID: 301000010 Name: JUPITER, LARRY P      SSN: 301-55-5010
Hm Dept: 999999 (DEFAULT)              Emplmt Status: I Pri Pay: MO
```

```
Gen No      : 0001      Date of Hire      : 07/01/03  Lst Day on Pay:
Date of Birth : 10/16/56 Citizen      : C      Separation      :
Sex          : M      Visa Type      :      Sep Rsn/Dest   :
Ethnic ID    : F      Work Perm End Date :      Antcptd Ret Dt:
Veteran Status: / /      U.S. Date of Entry :      LOA Beg       :
RctSepVetDt :      I-9 Date      :      LOA Return    :
Disab Status :      Oath Signature Date: 07/01/03 LOA Type      :
Stdtd St/Units : 1/      PIN Signature Date : 07/01/03 Nx Sal Rev    :
UI Code      : C      Fed Tx Marit/Allw : S 000      Nx Sal Rev Typ:
Retirement  : H      Fed Tax Max      : 999      EREL/ERL/EUC : /99/98
FICA Elig Cd : M      Calif Tx Marit/Pers: S 000      EREP/ESH/EDUC : */ /
Asgn/Drv BELI : 5/U      Calif Tx Item      : 000      Other St Name  :
Pay Disp     : 2      Calif Max          : 999      Other St CA Res :
APUC        :      Pr ID:      Pr Name:
Next Func:   ID:      Name:      SSN:
```

===>

```
F: 1-Help      2-Browse      3-PrevMenu  4-Print
F:              9-MainMenu              12-Exit
```

Changes for WEB EDB Inquiry Map -- IEMP

Remove PIN Signature Date from PPS Web EDB Inquiry system's 'Employee Status Information' screen.

IEMP Web screen is accessed by the EDB On-line Web Inquiry program PPWWIEMP. This screen has an output field to display the PIN Signature Authorization Date.

Since we do not use this date anymore, we need to remove PIN Signature Authorization Date from this on-line Web screen IEMP as shown below. We will also change the release number displayed at the bottom of this screen.

Employment Status Information

View [Appointment/Distribution Information](#).

Hired

Date of Hire:	07/01/87	I-9 Date:	
Original Date of Hire:		Oath Date:	07/01/87
PIN Signature Date:	04/01/97		

Leave

Leave Begin Date:	Leave Type:
Leave Return Date:	

Staff and Academic Reduction in Time (START)

START Reduction Percentage:	Begin/End Date:
-----------------------------	-----------------

Separation

Last Day on Pay Status:	Reason Code:
Separation Date:	Destination:

Salary Review

Next Salary Review Date:	07/93	Review Type:	2 - Merit Increase
--------------------------	-------	--------------	--------------------

Student Status

Student Status Code:	1 - Not Registered	Registered Units:	0.0
----------------------	--------------------	-------------------	-----

Labor Relations

Employee Relations Code:	E - Not Confidential
Collective Bargaining Unit Code:	99 - No Bargaining Unit
Employee Unit Code:	99 - No Bargaining Unit
Employee Representation Code:	C - Covered
Employee Special Handling Code:	
Employee Distribution Unit Code:	

View [Labor Relations Information](#).

View [Appointment/Distribution Information](#).

Return to [top of page](#)

Copylib Members

No copylib members are changed or added in this project.

Include Members

No new include members are added in this project.

Control Table Updates

System Messages Table (PPPSMSG)

Obsolete the following Error Messages used while editing Pin Signature Date. So delete these messages from the System Messages table.

A08084530113137PIN SIGNATURE DATE CANNOT BE LATER THAN CURRENT DATE

A08124530113137PIN SIGNATURE DATE CANNOT BE LATER THAN CURRENT DATE

The following messages will be **deleted** from System Messages table (PPPSMSG):

MSG_NUMBER	→08453	MSG_REFERENCE	→1
MSG_SEVERITY	→3	MSG_TURNAROUND	→1
MSG_TEXT	→ PIN SIGNATURE DATE CANNOT BE LATER THAN CURRENT DATE		
MSG_BATCH_SEVERITY	→3	MSG_ONLIN_SEVERITY	→7

MSG_NUMBER	→12453	MSG_REFERENCE	→1
MSG_SEVERITY	→3	MSG_TURNAROUND	→1
MSG_TEXT	→ PIN SIGNATURE DATE CANNOT BE LATER THAN CURRENT DATE		
MSG_BATCH_SEVERITY	→3	MSG_ONLIN_SEVERITY	→7

Data Element to Screens Table (PPPDES)

Remove PIN Signature Authorization Date data from the on-line CICS screen 'Data Elements to Screen' (EDES). This is done by deleting '0750' element row from the PPPDES table.

A39 EDB0750EPD2N

The following message will be **deleted** from Data Element to Screens table (PPPDES):

DES_DATABASE_ID	→ EDB	DES_ELEM_NO	→ 0750
DES_SCREEN_ID	→ EPD2	DES_PROTECT_IND	→ N

Data Element Table (PPPDET)

Remove PIN Signature Authorization Date data from the on-line CICS screen 'Data Elements' (ELEM). This is done by deleting '0750' element row from the PPPDET table.

A061 0750 N06 0PIN SIGN DATE D

The following message will be **deleted** from Data Element table (PPPDET):

DET_ELEM_NO	→ 0750	DET_CHECK_DIGIT	→ 6
DET_LEGAL_TO_UPD	→ 0	DET_CARD_START_POS	→ 0
DET_DATA_TYPE	→ 1	DET_EXT_LENGTH	→ 6
DET_DEC_PLACE	→ 0	DET_ELEMENT_NAME	→ PIN SIGN DATE
DET_DB2_TABLE_ID	→ PPPBEN		
DET_DATE_EDIT	→ D	DET_CON_E_RTNS_1	→ 127

JCL Change

There is no change needed for the existing JCLs.