

Release 1529

Obsolete PIN Authorization Signature Date

INSTALLATION INSTRUCTIONS

Baskar Chitavel
October 22, 2003
10:15 AM

Enterprise IT Services
Information Resources and Communications
Office of the President
University of California

Introduction

This document provides installation instructions for release 1529 to obsolete PIN Signature Authorization Date from CICS screens and Web EDB Enquiry screens. Also there are changes needs to be done in the batch programs to take care of the removal of PIN Signature Authorization Date.

Please review these instructions carefully before proceeding with the installation.

Installation Sequence

1. Install for Testing:

- CICS Map Generation
 - a. Install the source code contained in R1529.DGIPNL for the following Maps.
PPEPD20
PPIGEN0
 - b. Generate the BMS macros and the COBOL data structure for the following Maps.
PPEPD20
PPIGEN0
 - c. Assemble the BMS macros to produce the physical map descriptions used by ICS/BMS.
PPEPD20
PPIGEN0
- COBOL Program Installation

At UCOP, all COBOL programs pass through the DB2 pre-compiler, whether or not the program contains embedded SQL, to resolve INCLUDE references. Your site may have different requirements.

Note: "DUAL" programs must be compiled twice and linked into batch and online libraries ("LOADLIB" and "OLOADLIB" respectively). "CICS" programs must be CICS pre-compiled and compiled once and linked into OLOADLIB. "BATCH" programs must be compiled once and linked into the batch LOADLIB only.

Modify, install, compile and link the modified program listed in the following table. If a BIND is required, it is indicated in the table under the heading "Bind".

PROGRAM	DB2 Pre-Compile	Compile	Bind	Done?
PPEC127	Yes	Dual	Package	
PPWEPD2	Yes	CICS	No	
PPWIGEN	Yes	CICS	Package	

- CICS HELP

Import revised CICS HELP anchors data from R1529.HELPANCH (refer to sample JCL in R1529.JCL(LOADANCH)).

- Control Table (CTL) updates

Execute the Release 1529 version of PPP004 to update the Data Element Table, System Messages Table, and Data Element to Screens Table with the transactions supplied in the release CARDLIB files.

```
DETPROD
MSGPROD
DESPROD
```

- Web EDB Inquiry Application Program Installation

Review and edit the job “PDS2HFS” in the JCL library to transfer the web application files to the application directory structure. Edit the control statements to supply the local directory names created for the Web EDB inquiry application for the local campus.

Run this jobstream once the necessary customization has been made.

After running the PDS2HFS jobstream, verify that the PPWWIEMP.D2W (Employment Status Information) Net.data file was copied to the “include” directory created for the Web EDB inquiry application for the local campus.

Once the include file has been copied, use the chmod command to set permissions on all files in this directory to 755. The group ownership of all files may be left as-is, assigned to the group associated with the installer ID.

```
$ chmod 755 *
```

2. Execute and verify the rest of the test plan, per supplied instructions.

3. Perform any desired additional campus testing.

4. Install into Production:

- Generate CICS Map as described in the installation instruction above for the testing.
- Install COBOL Program and Bind the Plan as described in the installation instruction above for the testing.
- Install CICS HELP anchors as described in the installation instruction above for the testing.
- Update Control Tables as described in the installation instruction above for the testing.
- Install Web EDB Inquiry Application Program as described in the installation instruction above for the testing.

5. Startup Instructions

None.