

Release 1562
EAP Sub-Location at UCLA

INSTALLATION INSTRUCTIONS

April 2, 2004
08:00 AM

Information Systems & Computing
Office of the President
University of California

Introduction

This document provides installation instructions for release 1562. Please review these instructions carefully before proceeding with the installation.

Installation Sequence

1. Install the **modified** DDL member listed in the following table, replacing *COLLID* with the collection ID for Web Merit. The DDL members define stored procedures used by Web Merit. Once installed, DROP the procedures, and then execute the DDL members to create the new DB2 stored procedures. The CURRENT SQLID must be set to the value of *AUTHID* of the authorization ID that will own the Web Merit objects.

DDL Members	Installed?	Executed?
SPTCTSP2		
SPTCTSP5		

2. A DB2 stored procedure used by Web Merit have been dropped and recreated, so it is necessary to REGRANT access for Web Merit. Install the **modified** DDL member listed in the following table, replacing *WEBID* with the surrogate ID used for Web Merit. The CURRENT SQLID must be set to the value of *AUTHID* of the authorization ID that will own the Web EDB Inquiry objects. Once modified, execute the DDL member.

DDL Members	Installed?	Executed?
PPOT1562		

3. Once the stored procedures have been recreated with the DDL in step 2, the procedures must be started using the DB2 START command (from SPUFI or in batch) as shown below:

-START PROCEDURE (*AUTHID*.PPTCTSP2)

-START PROCEDURE (*AUTHID*.PPTCTSP5)

Replace *AUTHID* in the above commands with the value of *AUTHID* used in step 1.

4. Copy Members

Copylib Members	Installed?
CPLNKTCL	

5. Install the new bind members listed in the following table for stored procedures

Bind Members	Installed?
PPTCTSP2	
PPTCTSP5	

6. COBOL Program Installation

At UCOP, all COBOL programs pass through the DB2 pre-compiler, whether or not the program contains embedded SQL, to resolve INCLUDE references. Your site may have different requirements.

Note: "DUAL" programs must be compiled twice and linked into batch and online libraries ("LOADLIB" and "OLOADLIB" respectively). "CICS" programs must be CICS pre-compiled and compiled once and linked into OLOADLIB. "BATCH" programs must be compiled once and linked into the batch LOADLIB only.

a) Modify, install, compile and link the **modified** programs listed in the following table.

PROGRAM	DB2 Pre-Compile	Compile	Package Bind?	Done?
PPCTHMEE	Yes	Batch	No	
PPCTR11	Yes	Batch	No	
PPCTSGTE	Yes	Batch	No	
PPCTT11	Yes	Batch	No	
PPCTTGBE	Yes	Batch	No	
PPCTTORE	Yes	Batch	No	
PPCTTRRE	Yes	Batch	No	
PPCTTSBE	Yes	Batch	No	
PPCTTSLE	Yes	Batch	No	
PPCTTSRE	Yes	Batch	No	
PPTCTSP2	Yes	SPAS	Yes	
PPTCTSP5	Yes	SPAS	Yes	
PPTCTUTL	Yes	Dual, SPAS	Yes	

7. Bind the following Plans.

Bind Plans	Done?
D21H04E	
PPCB02	
PPI730	
PPIIVR	
PPP003	
PPP004	
PPP031	
PPP040	
PPP080	
PPP120	
PPP130	
PPP125	
PPP170	
PPP350	
PPP360	
PPP380	
PPP390	
PPP420	
PPP450	
PPP510	
PPP520	
PPP533	
PPP560	
PPP620	
PPP635	
PPP650	
PPP655	
PPP670	

Bind Plans	Done?
PPP675	
PPP677	
PPP680	
PPP695	
PPP700	
PPP750	
PPP770	
PPP860	
PPP861	
PPP862	
PPP864	
PPP875	
PPP900	
PPP910	
PPP920	
PPP925	
PPP930	
PPP946	
PPP960	
PPP995	

8. CICS Help

Import the revised CICS Data Dictionary Definition for EDB 2009 on file HELPDDSE. Refer to sample JCL in JCL (LOADDDSE).

9. Execute and verify the rest of the test plan, per supplied instructions.

10. Perform any desired additional campus testing.

11. Install Control Table (CTL) updates into production.

Execute **PPP004** to update the following DB2 CTL tables.

- Code Translation Table

Code Translation updates are provided to include code translations for EDB 2009 (Appointment Department Sub-Location).

Use the transactions in PAYDIST.R1562.CARDLIB(CTTPROD), or key from the provided facsimiles UPAY814 form. These transactions may be used for testing and production, with the approval of your campus Payroll Manager.

12. Place modified objects in production.