

**Release 1820**

**Service Request 82182  
OPEB - Month 13**

**Installation Instructions**

May 20, 2008  
Prepared by Alex Tayag

Information Resources & Communications  
Office of the President  
University of California

This document provides installation instructions for release 1820. Please review these instructions carefully before proceeding with the installation.

## ***1. COBOL Program Preparation***

At UCOP, all COBOL programs pass through the DB2 pre-compiler, whether or not the program contains embedded SQL, to resolve INCLUDE references. Your site may have different requirements.

"DUAL" programs must be compiled twice and linked into batch and online libraries ("LOADLIB" and "OLOADLIB" respectively). "CICS" programs must be CICS pre-compiled and compiled once and linked into OLOADLIB. "BATCH" programs must be compiled once and linked into the batch LOADLIB only.

- 1.1 Install, compile, and link the following **modified** programs:

<b>PROGRAM</b>	<b>DB2?</b>	<b>Compile Type</b>	<b>Package Bind?</b>	<b>Done?</b>
PPI735	Yes	Batch	No	

## ***2. Plan Binds***

- 2.1 Bind the following plans:

<b>Bind Member</b>	<b>Done?</b>
PPI735	

## ***3. JCL Changes***

- 3.1 Add DDname SORTEDW, a temporary file to hold the sorted EDW records, to the JCL for program PPI735. A sample of this JCL can be found in JCL member (RUN735M).

## ***4. Testing***

- 4.1 Perform installation verification testing as described in the Test Plan. In addition, perform any further local testing.

## ***5. Install in Production***

- 5.1 Place modified objects in production.

## **6. *Control Table Updates***

- 6.1 Execute **PPP004** to update the following DB2 CTL tables with release transactions.
- **System Messages Table (08)** – Use the transactions in CARDLIB (MSGPROD).