

Release 1840

**Service Request 82280
California Driver's License Display**

Installation Instructions

October 14, 2008
Prepared by Robert Glaser

Information Resources & Communications
Office of the President
University of California

This document provides installation instructions for release 1840. Please review these instructions carefully before proceeding with the installation.

1. *Bind Member Installation*

- 1.1 Install the following **new** bind members:

Bind Members	Installed?
PPO1840A	
PPO1840B	

2. *COBOL Program Preparation*

At UCOP, all COBOL programs pass through the DB2 pre-compiler, whether or not the program contains embedded SQL, to resolve INCLUDE references. Your site may have different requirements.

"DUAL" programs must be compiled twice and linked into batch and online libraries ("LOADLIB" and "OLOADLIB" respectively). "CICS" programs must be CICS pre-compiled and compiled once and linked into OLOADLIB. "BATCH" programs must be compiled once and linked into the batch LOADLIB only.

- 2.1 Install, compile, and link the following **new one-time** programs:

PROGRAM	DB2?	Compile Type	Package Bind?	Done?
PPO1840A	YES	BATCH	NO	
PPO1840B	YES	BATCH	NO	

- 2.2 Install, compile, and link the following **modified** programs:

PROGRAM	DB2?	Compile Type	Package Bind?	Done?
PPEC714	NO	DUAL	NO	

3. *Plan Binds*

- 3.1 Bind the following plans:

Bind Member	Done?
PPO1840A	
PPO1840B	

4. *JCL Changes*

- 4.1 Create JCL for the **one-time** programs listed below. The test JCL can be used as a model to create the production JCL.

Program	Sample JCL	Installed?
PPO1840A	YES	
PPO1840B	YES	

5. *CICS HELP*

- 5.1 Import updated CICS field level help
Import from PAYDIST.R1840.HELPPDDSE (Refer to sample JCL in PAYDIST.R1840.JCL (LOADDDSE)).

6. *Testing*

- 6.1 Perform installation verification testing as described in the Test Plan. In addition, perform any further local testing.

7. *Install in Production*

- 7.1 Place modified objects in production.
- 7.2 Execute one-time program PPO1840A to update the PPPLCN table on the EDB. The program can be run as needed in non-update (REPORT) mode to allow review of the changes prior to the actual update run in update (UPDATE) mode.
- 7.3 Execute one-time program PPO1840B to update the PPPLIC table on HDB. The program can be run as needed in non-update (REPORT) mode to allow review of the changes prior to the actual update run in update (UPDATE) mode.

8. *Control Table Updates*

- 8.1 Execute **PPP004** to update the following DB2 CTL tables with release transactions.
- **System Messages Table (08)** – Use the transactions in CARDLIB (MSGPROD).