



OFFICE OF THE SENIOR VICE PRESIDENT –
BUSINESS AND FINANCE

OFFICE OF THE PRESIDENT
1111 Franklin Street
Oakland, California 94607-5200

July 1, 2009

BEATRICE CARDONA
WEN TANG

BARBARA VANDEN BORRE
SUNGSOO YANG

Re:	Release:	1868
	Service Requests:	None
	Error Reports:	2211
	Programs:	PPP910
	Copy Members:	None
	Include Members:	None
	DDL Members:	None
	Bind Members:	None
	CICS Maps:	None
	CICS Help:	None
	Forms:	None
	Table Updates:	None
	Urgency:	Urgent (see Timing of Installation below)

This release addresses the following Error Report:

Error Report 2211

Release 1107 (Date Conversion Phase III) changed PPP910. The value of the adjustment effective date that was being passed to the date conversion program is wrong. The adjustment effective date can be for a bi-weekly or monthly pay schedule. Release 1107 changed PPP910 to use only the monthly adjustment effective date. This change caused PPP910 to omit some bi-weekly distributions.

Programs

PPP910

PPP910 generates EDB Update transactions from the Range Adjustment Process. PPP910 was changed to use the correct adjustment effective date based on the pay cycle.

Installation Instructions

COBOL Program Preparation

At UCOP, all COBOL programs pass through the DB2 pre-compiler, whether or not the program contains embedded SQL, to resolve INCLUDE references. Your site may have different requirements.

1. Install, compile and link the following **modified** programs:

Program	DB2?	Compile	Package Bind?	Done?
PPP910	Yes	Batch	No	

2. Bind the following plans:

Bind Member	Done?
PPP910	

Test Plan

This test plan addresses the test runs and cases constructed to verify the correct installation of this release.

1. LOADCTL: Load the DB2 CTL (Control Table) database

Ensure that the DB2 CTL has been successfully restored by verifying normal completion of the job and ensuring that all tables have been successfully loaded into the data base.

2. LOADEDDB: Load the DB2 EDB (Employee Data Base)

Ensure that the DB2 EDB has been successfully restored by verifying normal completion of the job and ensuring that all tables have been successfully loaded into the data base.

3. RUN900: Run to update Pay Scale table to be used by PPP910.

Verify that the job completed normally.

4. RUN910M1: Run to select EDB distribution for range adjustment.(PRLM1)

Verify that the job completed normally.

Verify that Employee ID 777777701 was selected in the EDB distribution for adjustment file (PRELM91A).

Verify that the PRELM91A file generated by PPP910 processing matches the file provided with this release.

Verify that the PPP9101, PPP9102, PPP9105, and PPP9108 reports generated by PPP910 processing match the reports provided with this release.

Timing of Installation

The timing of this release is **urgent**.

As usual, campuses are encouraged to install this release in as timely a fashion as possible and in the normal numeric sequence.

If there are any questions, please send electronic mail to Pamela.Torres@ucop.edu, or call 510-987-0741.

Pamela L. Torres

